## <u>No</u> aspirin or salicylic acid in children of any age Date: Age: Weight:

- Keep all medicines out of reach of children
- No Ibuprofen for children less than 6 months old
- Ibuprofen, Children's Motrin® and Children's Advil® are all the same
- Give the dose for your child's weight as listed below
- Give every 6 hours for fever more than 100.4 degrees

Weight (pounds)	Infant Drops 50 mg per 1.25 ml	Children's 100 mg per 5 ml	Junior 100 mg per tablet
12 to 17	if your child is over 6 months old, call doctor for dose		
18 to 23	1.875 ml		
24 to 35		5 ml (1 tsp)	1 tablet
36 to 47		7.5 ml	1½ tablets
48 to 59		10 ml (2 tsp)	2 tablets
60 to 71		12.5 ml	$2^{1/2}$ tablets
72 to 95		15 ml (3 tsp)	3 tablets
more than 95		20 ml (4 tsp)	4 tablets

## Give your child the right dose

- Be sure to read the right dose for your child
- **Only** use the device you get with the medicine to give the right dose

tsp = teaspoon

ml = milliliter

1 tsp = 5 ml

Dosing information for Acetaminophen and Ibuprofen from Tylenol for Health Professionals https://www.tylenolprofessional.com/dosage.html

Carolinas HealthCare System complies with applicable Federal civil rights laws and does not discriminate on the basis of race, color, national origin, age, disability or sex.

ATENCIÓN: si habla español, tiene a su disposición servicios gratuitos de asistencia lingüística. Llame al 1- 800-821-1535. CHÚ Ý: Nêu ban nói Tiêng Viêt, có các dich vu hô tro ngôn ngû miên phí dành cho ban. Goi sô 1- 800-821-1535.



