

No aspirin or salicylic acid in children of any age

Date:

Age:

Weight:

- **Keep all medicines out of reach of children**
- **No Acetaminophen for children less than 3 months old**
- **For fever more than 100 degrees in children less than 3 months old, call the doctor**
- Acetaminophen and Tylenol® are the same
- Give the dose for your child's weight as listed below
- Give every 4 hours for fever more than 100.4 degrees
- Other medicines may have Acetaminophen in them. Do not give more Acetaminophen than ordered

Weight (pounds)	Infant Concentrated Drops 160 mg per 5 ml	Children's 160 mg per 5 ml	Chewable Tablets 160 mg per tablet
6 to 23	Call doctor		
24 to 35	5 ml	5 ml (1 tsp)	1 tablet
36 to 47		7.5 ml	1½ tablet
48 to 59		10 ml (2 tsp)	2 tablets
60 to 71		12.5 ml	2½ tablets
72 to 95		15 ml (3 tsp)	3 tablets
more than 95		20 ml (4 tsp)	4 tablets

Give your child the right dose

- Be sure to read the right dose for your child
- **Only** use the device you get with the medicine to give the right dose

tsp = teaspoon

ml = milliliter

1 tsp = 5 ml



Dosing information for Acetaminophen and Ibuprofen from Tylenol for Health Professionals <https://www.tylenolprofessional.com/dosage.html>

Approved by Atrium Health Antibiotic Stewardship Committee, Fall 2018

Atrium Health complies with applicable Federal civil rights laws and does not discriminate on the basis of race, color, national origin, age, disability or sex.

ATENCIÓN: si habla español, tiene a su disposición servicios gratuitos de asistencia lingüística. Llame al 1- 800-821-1535.

CHÚ Ý: Nếu bạn nói Tiếng Việt, có các dịch vụ hỗ trợ ngôn ngữ miễn phí dành cho bạn. Gọi số 1- 800-821-1535.